


Preparation Guide



California Acupuncture Licensing Examination

August 2013

**California Acupuncture Board
1747 N. Market Boulevard, Suite 180
Sacramento, CA 95834**

APPENDIX E: EXAMINATION SINGLE HERB LIST

Herbs included on this list will provide the basis for single herb questions used on the examination. These herbs are not endorsed as safe by the Department of Consumer Affairs, the Acupuncture Board, or the Federal Food and Drug Administration.

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Ai Ye	艾葉 (애엽)	<i>Artemisiae Argyi, Folium</i>
Ba Ji Tian	巴戟天 (파극천)	<i>Morindae Officinalis, Radix</i>
Bai Bian Dou ¹	白扁豆 (백편두)	<i>Lablab Semen album</i>
Bai Bu	百部 (백부)	<i>Stemonae, Radix</i>
Bai Guo	白果 (백과)	<i>Ginkgo, Semen</i>
Bai He	百合 (백합)	<i>Lilii, Bulbus</i>
Bai Jiang Cao	敗醬草 (패장초)	<i>Patriniae, Herba cum Radice</i>
Bai Jie Zi	白芥子 (백개자)	<i>Sinapis, Semen</i>
Bai Mao Gen	白茅根 (백모근)	<i>Imperatae, Rhizoma</i>
Bai Qian	白前 (백전)	<i>Cynanchi Stauntonii, Radix et Rhizoma</i>
Bai Shao	白芍 (백작)	<i>Paeoniae Alba, Radix</i>
Bai Tou Weng	白頭翁 (백두옹)	<i>Pulsatillae, Radix</i>
Bai Wei	白薇 (백미)	<i>Cynanchi Atrati, Radix et Rhizoma</i>
Bai Zhi	白芷 (백지)	<i>Angelicae Dahuricae, Radix</i>
Bai Zhu	白朮 (백출)	<i>Atractylodis Macrocephalae, Rhizoma</i>
Bai Zi Ren	柏子仁 (백자인)	<i>Platycladi, Semen</i>
Ban Lan Gen	板藍根 (판람근)	<i>Isatidis, Radix</i>
Ban Xia	半夏 (반하)	<i>Pinelliae, Rhizoma</i>
Bei Mu	貝母 (패모)	<i>Fritillariae, Bulbus</i>
Bei Sha Shen	北沙參 (북사삼)	<i>Glehniae, Radix</i>
Bi Bo ²	萹苳 (필밭)	<i>Piperis Longi, Fructus</i>
Bian Xu	鳶蓄 (편축)	<i>Polygoni Avicularis, Herba</i>
Bie Jia	鼈甲 (별갑)	<i>Trionycis, Carapax</i>
Bo He	薄荷 (박하)	<i>Menthae, Herba</i>
Bu Gu Zhi	補骨脂 (보골지)	<i>Psoraleae, Fructus</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Cang Er Zi	蒼耳子 (창이자)	<i>Xanthii, Fructus</i>
Cang Zhu	蒼朮 (창출)	<i>Atractylodis, Rhizoma</i>
Cao Dou Kou	草豆蔻 (초두구)	<i>Alpiniae Katsumadai, Semen</i>
Cao Guo	草果 (초과)	<i>Amomi Tsaoko, Fructus</i>
Cao Wu	草烏 (초오)	<i>Aconiti Kusnezoffii, Radix</i>
Ce Bai Ye	側柏葉 (측백엽)	<i>Platycladi, Cacumen</i>
Chai Hu	柴胡 (시호)	<i>Bupleuri, Radix</i>
Chan Tui	蟬蛻 (선태)	<i>Cicadae, Periostracum</i>
Che Qian Zi	車前子 (차전자)	<i>Plantaginis, Semen</i>
Chen Pi	陳皮 (진피)	<i>Citri Reticulatae, Pericarpium</i>
Chen Xiang	沈香 (침향)	<i>Aquilariae Resinatum, Lignum</i>
Chi Shao	赤芍 (적작)	<i>Paeoniae Rubrae, Radix</i>
Chi Shi Zhi	赤石脂 (적석지)	<i>Halloysitum Rubrum</i>
Chuan Bei Mu	川貝母 (천패모)	<i>Fritillariae Cirrhosae, Bulbus</i>
Chuan Lian Zi	川楝子 (천련자)	<i>Meliae Toosendan, Fructus</i>
Chuan Mu Tong	川木通 (천목통)	<i>Clematidis Armandii, Caulis</i>
Chuan Niu Xi	川牛膝 (천우슬)	<i>Cyathulae, Radix</i>
Chuan Xiong	川芎 (천궁)	<i>Chuanxiong, Rhizoma</i>
Chun Pi ³	椿皮 (춘피)	<i>Ailanthi, Cortex</i>
Ci Shi	磁石 (자석)	<i>Magnetitum</i>
Da Fu Pi	大腹皮 (대복피)	<i>Arecae, Pericarpium</i>
Da Huang	大黃 (대황)	<i>Radix et Rhizoma Rhei</i>
Da Ji	大戟 (대극)	<i>Euphorbiae seu Knoxiae, Radix</i>
Da Zao	大棗 (대조)	<i>Jujubae, Fructus</i>
Dan Dou Chi	淡豆豉 (담두시)	<i>Sojae Praeparatum, Semen</i>
Dan Nan Xing	膽南星 (담남성)	<i>Arisaema cum Bile</i>
Dan Shen	丹蔘 (단삼)	<i>Salviae Miltiorrhizae, Radix et Rhizoma</i>
Dan Zhu Ye	淡竹葉 (담죽엽)	<i>Lophatheri, Herba</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Dang Gui	當歸 (당귀)	<i>Angelicae Sinensis, Radix</i>
Dang Shen	黨蔘 (당삼)	<i>Codonopsis, Radix</i>
Deng Xin Cao	燈心草 (등심초)	<i>Junci, Medulla</i>
Di Fu Zi	地膚子 (지부자)	<i>Kochiae, Fructus</i>
Di Gu Pi	地骨皮 (지골피)	<i>Lycii, Cortex</i>
Di Huang ⁴	地黃 (지황)	<i>Rehmanniae, Radix</i>
Di Long	地龍 (지룡)	<i>Pheretima</i>
Di Yu	地榆 (지유)	<i>Sanguisorbae, Radix</i>
Ding Xiang	丁香 (정향)	<i>Caryophylli, Flos</i>
Dong Gua Zi	冬瓜子 (동과자)	<i>Benincasae, Semen</i>
Dong Kui Zi	冬葵子 (동규자)	<i>Malvae, Semen</i>
Dou Kou ⁵	豆蔻 (두구)	<i>Amomi Rotundus, Fructus</i>
Du Huo	獨活 (독활)	<i>Angelicae Pubescentis, Radix</i>
Du Zhong	杜仲 (두충)	<i>Eucommiae, Cortex</i>
E Jiao	阿膠 (아교)	<i>Asini, Colla Corii</i>
E Zhu	莪朮 (아출)	<i>Curcumae, Rhizoma</i>
Fang Feng	防風 (방풍)	<i>Saposhnikoviae, Radix</i>
Fang Ji ⁶	防己 (방기)	<i>Stephaniae Tetrandrae, Radix</i>
Fen Bi Xie ⁷	粉草薺 (분비해)	<i>Dioscoreae Hypoglaucae, Rhizoma</i>
Fu Ling	茯苓 (복령)	<i>Poriae</i>
Fu Pen Zi	覆盆子 (복분자)	<i>Rubi, Fructus</i>
Fu Xiao Mai	浮小麥 (부소맥)	<i>Tritici Levis, Fructus</i>
Fu Zi	附子 (부자)	<i>Aconiti Lateralis Preparata, Radix</i>
Gan Cao	甘草 (감초)	<i>Glycyrrhizae, Radix et Rhizoma</i>
Gan Jiang	乾薑 (건강)	<i>Zingiberis, Rhizoma</i>
Gao Ben	藁本 (고본)	<i>Ligustici, Rhizoma et Radix</i>
Gao Liang Jiang	高良薑 (고량강)	<i>Alpiniae Officinarum, Rhizoma</i>
Ge Gen	葛根 (갈근)	<i>Puerariae Lobatae, Radix</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Gou Ji	狗脊 (구척)	<i>Cibotii, Rhizoma</i>
Gou Qi Zi	枸杞子 (구기자)	<i>Lycii, Fructus</i>
Gou Teng	鉤藤 (구등)	<i>Uncariae cum Uncis, Ramulus</i>
Gu Sui Bu	骨碎補 (골쇄보)	<i>Drynariae, Rhizoma</i>
Gu Ya	穀芽 (곡아)	<i>Sativae Germinantus, Fructus</i>
Gua Lou Pi	瓜蒌皮 (과루피)	<i>Trichosanthis, Pericarpium</i>
Gua Lou Zi ⁸	瓜蒌子 (과루자)	<i>Trichosanthis, Semen</i>
Guang Huo Xiang	廣藿香 (광곽향)	<i>Pogostemonis, Herba</i>
Gui Ban	龜板 (구판)	<i>Testudinis, Plastrum</i>
Gui Ban Jiao	龜板膠 (구판교)	<i>Testudinis, Gelatinum Plastrum</i>
Gui Zhi	桂枝 (계지)	<i>Cinnamomi, Ramulus</i>
Hai Piao Xiao	海螵蛸 (해표초)	<i>Sepiae, Endoconcha</i>
Hai Tong Pi	海桐皮 (해동피)	<i>Erythrinae, Cortex</i>
Hai Zao	海藻 (해조)	<i>Sargassum</i>
He Ye	荷葉 (하엽)	<i>Nelumbinis, Folium</i>
He Zi	訶子 (가자)	<i>Chebulae, Fructus</i>
Hei Zhi Ma	黑芝麻 (흑지마)	<i>Sesami Nigrum, Semen</i>
Hong Hua	紅花 (홍화)	<i>Carthami, Flos</i>
Hou Po	厚朴 (후박)	<i>Magnoliae Officinalis, Cortex</i>
Hu Jiao	胡椒 (호초)	<i>Piperis, Fructus</i>
Hu Tao Ren	胡桃仁 (호도인)	<i>Juglandis, Semen</i>
Hua Jiao	花椒 (화초)	<i>Zanthoxyli, Pericarpium</i>
Hua Shi	滑石 (활석)	<i>Talcum</i>
Huai Hua Mi	槐花米 (괴화미)	<i>Sophorae Japonicae Immaturus, Flos</i>
Huang Bo ⁹	黃柏 (황백)	<i>Phellodendri Chinensis, Cortex</i>
Huang Lian	黃連 (황련)	<i>Coptidis, Rhizoma</i>
Huang Qi	黃芪 (황기)	<i>Astragali, Radix</i>
Huang Qin	黃芩 (황금)	<i>Scutellariae, Radix</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Huo Ma Ren	火麻仁 (화마인)	<i>Cannabis, Fructus</i>
Huo Xiang	藿香 (곽향)	<i>Agastaches, Herba</i>
Ji Li ¹⁰	蒺藜 (질러)	<i>Tribuli, Fructus</i>
Ji Nei Jin	鷄內金 (계내금)	<i>Corneum Gigeriae Galli, Endothelium</i>
Ji Zi Huang	雞子黃(계자황)	<i>Galli Vitellus</i>
Jiang Huang	薑黃 (강황)	<i>Curcumae longae, Rhizoma</i>
Jie Geng	桔梗 (길경)	<i>Platycodi, Radix</i>
Jin Qian Bai Hua She ¹¹	金錢白花蛇 (금전백화사)	<i>Bungarus Parvus</i>
Jin Yin Hua	金銀花 (금은화)	<i>Lonicerae Japonicae, Flos</i>
Jin Ying Zi	金櫻子 (금앵자)	<i>Rosae Laevigatae, Fructus</i>
Jing Jie	荊芥 (형개)	<i>Schizonepetae, Herba</i>
Jing Mi	粳米 (갱미)	<i>Nonglutinous Rice</i>
Ju Hong	橘紅 (굴홍)	<i>Citri Erythrocarpae, Pars Rubra Epicarpis</i>
Ju Hua	菊花 (국화)	<i>Chrysanthemi, Flos</i>
Jue Ming Zi	決明子 (결명자)	<i>Cassiae, Semen</i>
Ku Shen ¹²	苦蔘 (고삼)	<i>Sophorae Flavescens, Radix</i>
Ku Xing Ren ¹³	苦杏仁 (고행인)	<i>Armeniaca Amarum, Semen</i>
Lai Fu Zi	萊菔子 (내복자)	<i>Raphani, Semen</i>
Lian Qiao	蓮翹 (연교)	<i>Forsythiae, Fructus</i>
Lian Xu	蓮鬚 (연순)	<i>Nelumbinis, Stamen</i>
Lian Zi	蓮子 (연자)	<i>Nelumbinis, Semen</i>
Long Dan ¹⁴	龍膽 (용담)	<i>Gentianae, Radix</i>
Long Gu	龍骨 (용골)	<i>Draconis, Os</i>
Long Yan Rou	龍眼肉 (용안육)	<i>Longanae, Arillus</i>
Lu Gen	蘆根 (노근)	<i>Phragmitis, Rhizoma</i>
Lu Hui	蘆薈 (노회)	<i>Aloes</i>
Lu Jiao Jiao	鹿角膠 (녹각교)	<i>Cervi Colla Cornus</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Lu Rong	鹿茸 (녹용)	<i>Cervi Pantotrichum, Cornu</i>
Mai Dong ¹⁵	麥冬 (맥동)	<i>Ophiopogonis, Tuber</i>
Mai Ya	麥芽 (맥아)	<i>Hordei Germinantus, Fructus</i>
Man Jing Zi	蔓荊子 (만형자)	<i>Viticis, Fructus</i>
Mang Xiao	芒硝 (망초)	<i>Natrii Sulfas</i>
Mo Yao	沒藥 (몰약)	<i>Myrrha</i>
Mu Dan Pi	牡丹皮 (목단피)	<i>Moutan, Cortex</i>
Mu Gua	木瓜 (목과)	<i>Chaenomelis, Fructus</i>
Mu Li	牡蠣 (모려)	<i>Ostreae, Concha</i>
Mu Tong	木通 (목통)	<i>Akebiae, Caulis</i>
Mu Zei	木賊 (목적)	<i>Equiseti Hiemalis, Herba</i>
Nan Sha Shen	南沙參 (남사삼)	<i>Adenophorae, Radix</i>
Niu Bang Zi	牛蒡子 (우방자)	<i>Arctii, Fructus</i>
Niu Huang	牛黃 (우황)	<i>Bovis, Calculus</i>
Niu Xi ¹⁶	牛膝 (우슬)	<i>Achyranthis Bidentatae, Radix</i>
Nu Zhen Zi	女貞子 (여정자)	<i>Ligustri Lucidi, Fructus</i>
Pao Jiang	炮薑 (포강)	<i>Zingiberis Preparatum, Rhizoma</i>
Pi Pa Ye	枇杷葉 (비파엽)	<i>Eriobotryae, Folium</i>
Pu Gong Ying	蒲公英 (포공영)	<i>Taraxaci, Herba</i>
Pu Huang	蒲黃 (포황)	<i>Typhae, Pollen</i>
Qian Cao	茜草 (천초)	<i>Rubiae, Radix et Rhizoma</i>
Qian Hu	前胡 (전호)	<i>Peucedani, Radix</i>
Qian Shi	芡實 (검실)	<i>Euryales, Semen</i>
Qiang Huo	羌活 (강활)	<i>Notopterygii, Rhizoma et Radix</i>
Qin Jiao	秦艽 (진교)	<i>Gentianae Macrophyllae, Radix</i>
Qin Pi	秦皮 (진피)	<i>Fraxini Cortex</i>
Qing Hao	青蒿 (청호)	<i>Artemisiae Annuae, Herba</i>
Qing Pi	青皮 (청피)	<i>Citri Reticulatae Viride, Pericarpium</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Qu Mai	瞿麥 (구맥)	<i>Dianthi, Herba</i>
Ren Shen	人蔘 (인삼)	<i>Ginseng, Radix et Rhizoma</i>
Rou Dou Kou	肉豆蔻 (육두구)	<i>Myristicae Fragrantis, Semen</i>
Rou Gui	肉桂 (육계)	<i>Cinnamomi, Cortex</i>
Ru Xiang	乳香 (유향)	<i>Olibanum, Gummi</i>
San Leng	三稜 (삼릉)	<i>Sparganii, Rhizoma</i>
San Qi	三七 (삼칠)	<i>Notoginseng, Radix</i>
Sang Bai Pi	桑白皮 (상백피)	<i>Mori, Cortex</i>
Sang Ji Sheng	桑寄生 (상기생)	<i>Taxilli, Herba</i>
Sang Shen ¹⁷	桑椹 (상심)	<i>Mori, Fructus</i>
Sang Ye	桑葉 (상엽)	<i>Mori, Folium</i>
Sang Zhi	桑枝 (상지)	<i>Mori, Ramulus</i>
Sha Ren	砂仁 (사인)	<i>Amomi, Fructus</i>
Sha Yuan Zi	沙苑子 (사원자)	<i>Astragali Complanati, Semen</i>
Shan Dou Gen	山豆根 (산두근)	<i>Sophorae Tonkinensis, Radix et Rhizoma</i>
Shan Yao	山藥 (산약)	<i>Dioscoreae, Radix</i>
Shan Zha	山楂 (산사)	<i>Crataegi, Fructus</i>
Shan Zhu Yu	山茱萸 (산수유)	<i>Corni, Fructus</i>
She Chuang Zi	蛇床子 (사상자)	<i>Cnidii, Fructus</i>
She Gan	射干 (사간)	<i>Belamcandae, Rhizoma</i>
Shen Qu	神麴 (신곡)	<i>Massa Fermentata</i>
Sheng Jiang	生薑 (생강)	<i>Zingiberis Recens, Rhizoma</i>
Sheng Jiang Pi	生薑皮 (생강피)	<i>Zingiberis Recens, Cortex</i>
Sheng Ma	升麻 (승마)	<i>Rhizoma Cimicifugae</i>
Shi Gao	石膏 (석고)	<i>Gypsum Fibrosum</i>
Shi Jue Ming	石決明 (석결명)	<i>Haliotidis, Concha</i>
Shi Wei	石葦 (석위)	<i>Pyrrosiae, Folium</i>
Shou Wu Teng ¹⁸	首烏藤 (수오등)	<i>Polygoni Multiflori, Caulis</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Shu Di Huang	熟地黄 (숙지황)	<i>Rehmanniae Praeparata, Radix</i>
Shui Niu Jiao	水牛角 (수우각)	<i>Bubali, Cornu</i>
Suan Zao Ren	酸枣仁 (산조인)	<i>Zizyphi Spinosae, Semen</i>
Suo Yang	锁阳 (쇄양)	<i>Cynomorii, Herba</i>
Tan Xiang	檀香 (단향)	<i>Santali Albi Lignum</i>
Tao Ren	桃仁 (도인)	<i>Persicae, Semen</i>
Tian Dong ¹⁹	天冬 (천동)	<i>Asparagi, Radix</i>
Tian Hua Fen	天花粉 (천화분)	<i>Trichosanthis, Radix</i>
Tian Nan Xing	天南星 (천남성)	<i>Arisaematis, Rhizoma</i>
Tu Fu Ling	土茯苓 (토복령)	<i>Smilacis Glabrae, Rhizoma</i>
Tu Si Zi	菟丝子 (토사자)	<i>Cuscutae, Semen</i>
Wang Bu Liu Xing	王不留行 (왕불유행)	<i>Vaccariae, Semen</i>
Wei Ling Xian	威灵仙 (위령선)	<i>Clematidis, Radix et Rhizoma</i>
Wu Jia Pi	五加皮 (오가피)	<i>Acanthopanax, Cortex</i>
Wu Mei	乌梅 (오매)	<i>Mume, Fructus</i>
Wu Wei Zi	五味子 (오미자)	<i>Schisandrae Chinensis, Fructus</i>
Wu Yao	乌药 (오약)	<i>Linderae, Radix</i>
Wu Zhu Yu	吴茱萸 (오수유)	<i>Evodiae, Fructus</i>
Xi Xian Cao	豨薟草 (희렴초)	<i>Siegesbeckiae, Herba</i>
Xia Ku Cao	夏枯草 (하고초)	<i>Prunellae, Spica</i>
Xian He Cao	仙鹤草 (선학초)	<i>Agrimoniae, Herba</i>
Xian Mao	仙茅 (선모)	<i>Curculiginis, Rhizoma</i>
Xiang Fu	香附 (향부)	<i>Cyperis, Rhizoma</i>
Xiang Ru	香薷 (향유)	<i>Moslae, Herba</i>
Xiao Hui Xiang	小茴香 (소회향)	<i>Foeniculi, Fructus</i>
Xin Yi Hua	辛夷花 (신이화)	<i>Magnoliae, Flos</i>
Xu Duan	续断 (속단)	<i>Dipsaci, Radix</i>
Xuan Fu Hua	旋覆花 (선복화)	<i>Inulae, Flos</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

PINYIN	CHINESE (KOREAN)	LATIN PHARMACEUTICAL
Xuan Shen	玄蔘 (현삼)	<i>Scrophulariae, Radix</i>
Yan Hu Suo	延胡索 (연호색)	<i>Corydalis, Rhizoma</i>
Yi Mu Cao	益母草 (익모초)	<i>Leonuri, Herba</i>
Yi Tang	飴糖 (이당)	<i>Maltosum</i>
Yi Yi Ren	薏苡仁 (의이인)	<i>Coicis, Semen</i>
Yi Zhi ²⁰	益智 (익지)	<i>Alpiniae Oxyphyllae, Fructus</i>
Yin Chen ²¹	茵陳 (인진)	<i>Artemisiae Scopariae, Herba</i>
Yin Yang Huo	淫羊藿 (음양곽)	<i>Epimedii, Herba</i>
Yu Jin	鬱金 (울금)	<i>Curcumae, Tuber</i>
Yuan Zhi	遠志 (원지)	<i>Polygalae, Radix</i>
Ze Lan	澤蘭 (택란)	<i>Lycopi, Herba</i>
Ze Xie	澤瀉 (택사)	<i>Alismatis, Rhizoma</i>
Zhe Bei Mu	浙貝母 (절패모)	<i>Fritillariae Thunbergii, Bulbus</i>
Zhe Shi ²²	赭石 (자석)	<i>Haematitum</i>
Zhen Zhu	珍珠 (진주)	<i>Margarita</i>
Zhi Cao Wu	制草烏 (제초오)	<i>Aconiti Kusnezoffii Praeparata, Radix</i>
Zhi Gan Cao	炙甘草 (자감초)	<i>Glycyrrhizae Praeparata cum Melle, Radix et Rhizoma</i>
Zhi Mu	知母 (지모)	<i>Anemarrhenae, Rhizoma</i>
Zhi Qiao ²³	枳殼 (지각)	<i>Aurantii, Fructus</i>
Zhi Shi	枳實 (지실)	<i>Aurantii, Fructus Immaturus</i>
Zhi Zi	梔子 (치자)	<i>Gardeniae, Fructus</i>
Zhu Ling	豬苓 (저령)	<i>Polyporus</i>
Zhu Ru	竹茹 (죽여)	<i>Bambusae in Taeniis, Caulis</i>
Zi Su Ye ²⁴	紫蘇葉 (자소엽)	<i>Perillae, Folium</i>
Zi Su Zi ²⁵	紫蘇子 (자소자)	<i>Perillae Frutescentis, Fructus</i>
Zi Wan	紫菀 (자원)	<i>Asteris, Radix et Rhizoma</i>

APPENDIX E: EXAMINATION SINGLE HERB LIST

Alternate pinyin names commonly used:

- ¹ Bian Dou 扁豆(편두)
- ² Bi Ba 萹苈(필발)
- ³ Chun Gen Pi 椿根皮(춘근피)
- ⁴ Sheng Di Huang 生地黃(생지황)
- ⁵ Bai Dou Kou 白豆蔻(백두구)
- ⁶ Fen Fang Ji 粉防己(분방기), Han Fang Ji 漢防己(한방기)
- ⁷ Bi Xie 葶藶(비해)
- ⁸ Gua Lou Ren 瓜蒌仁(과루인)
- ⁹ Huang Bai 黃柏(황백)
- ¹⁰ Bai Ji Li 白蒺藜(백질러)
- ¹¹ Bai Hua She 白花蛇(백화사)
- ¹² Ku Shen Gen 苦參根(고삼근)
- ¹³ Xing Ren 杏仁(행인)
- ¹⁴ Long Dan Cao 龍膽草(응담초)
- ¹⁵ Mai Men Dong 麥門冬(맥문동)
- ¹⁶ Huai Niu Xi 淮牛膝(회우슬)
- ¹⁷ Sang Shen Zi 桑椹子(상심자)
- ¹⁸ Ye Jiao Teng 夜交藤(야교등)
- ¹⁹ Tian Men Dong 天門冬(천문동)
- ²⁰ Yi Zhi Ren 益智仁(익지인)
- ²¹ Yin Chen Hao 茵陳蒿(인진호)
- ²² Dai Zhe Shi 代赭石(대자석)
- ²³ Zhi Ke 枳殼(지각)
- ²⁴ Su Ye 蘇葉(소엽)
- ²⁵ Su Zi 蘇子(소자)

APPENDIX F: EXAMINATION HERBAL FORMULAS LIST

Herbal formulas included on this list will provide the basis for herbal formula questions used on the examination. The formulas presented here are not endorsed as safe by the Department of Consumer Affairs, the Acupuncture Board, or the Federal Food and Drug Administration.

ENGLISH TRANSLATION	PINYIN	CHINESE (KOREAN)
<i><u>Formulas that Release the Exterior</u></i>		
<i><u>Jie Biao Ji</u></i>		
<i><u>解表劑 (해표제)</u></i>		
Bupleurum and Kudzu Decoction to Release the Muscle Layer	Chai Ge Jie Ji Tang	柴葛解肌湯 (시갈해기탕)
Cinnamon Twig Decoction	Gui Zhi Tang	桂枝湯 (계지탕)
Ginseng Powder to Overcome Pathogenic Influences	Ren Shen Bai Du San	人蔘敗毒散 (인삼패독산)
Honeysuckle and Forsythia Powder	Yin Qiao San	銀翹散 (은교산)
Mulberry Leaf and Chrysanthemum Decoction	Sang Ju Yin	桑菊飲 (상국음)
<i><u>Formulas that Clear Heat</u></i>		
<i><u>Qing Re Ji</u></i>		
<i><u>清熱劑 (청열제)</u></i>		
Artemisia Annuum and Soft-shelled Turtle Shell Decoction	Qing Hao Bie Jia Tang	青蒿鱉甲湯 (청호별갑탕)
Clear the Stomach Powder	Qing Wei San	清胃散 (청위산)
Coptis Decoction to Relieve Toxicity	Huang Lian Jie Du Tang	黃蓮解毒湯 (황련해독탕)
Drain the Epigastrium Decoction	Xie Xin Tang	瀉心湯 (사심탕)
Gentiana Decoction to Drain the Liver	Long Dan Xie Gan Tang	龍膽瀉肝湯 (용담사간탕)
Guide Out the Red Powder	Dao Chi San	導赤散 (도적산)
Pulsatilla Decoction	Bai Tou Weng Tang	白頭翁湯 (백두옹탕)
White Tiger Decoction	Bai Hu Tang	白虎湯 (백호탕)

APPENDIX F: EXAMINATION HERBAL FORMULAS LIST

ENGLISH TRANSLATION	PINYIN	CHINESE (KOREAN)
<i>Formulas that Drain Downward</i>	<i>Xie Xia Ji</i>	<i>瀉下劑 (사하제)</i>
Hemp Seed Pill	Ma Zi Ren Wan	麻子仁丸 (마자인환)
Major Order the Qi Decoction	Da Cheng Qi Tang	大承氣湯 (대승기탕)
Minor Order the Qi Decoction	Xiao Cheng Qi Tang	小承氣湯 (소승기탕)
Moisten the Intestines Pill	Run Chang Wan	潤腸丸 (윤장환)
Regulate the Stomach and Order the Qi Decoction	Tiao Wei Cheng Qi Tang	調胃承氣湯 (조위승기탕)
<i>Formulas that Harmonize</i>	<i>He Jie Ji</i>	<i>和解劑 (화해제)</i>
Frigid Extremities Powder	Si Ni San	四逆散 (사역산)
Minor Bupleurum Decoction	Xiao Chai Hu Tang	小柴胡湯 (소시호탕)
Pinellia Decoction to Drain the Epigastrium	Ban Xia Xie Xin Tang	半夏瀉心湯 (반하사심탕)
Rambling Powder	Xiao Yao San	逍遙散 (소요산)
<i>Formulas that Expel Dampness</i>	<i>Qu Shi Ji</i>	<i>祛濕劑 (거습제)</i>
Agastache Powder to Rectify the Qi	Huo Xiang Zheng Qi San	藿香正氣散 (곽향정기산)
Calm the Stomach Powder	Ping Wei San	平胃散 (평위산)
Eight-Herb Powder for Rectification	Ba Zheng San	八正散 (팔정산)
Five-Ingredient Powder with Poria	Wu Ling San	五苓散 (오령산)
Five-Peel Powder	Wu Pi San	五皮散 (오피산)
Polyporus Decoction	Zhu Ling Tang	豬苓湯 (저령탕)

APPENDIX F: EXAMINATION HERBAL FORMULAS LIST

ENGLISH TRANSLATION	PINYIN	CHINESE (KOREAN)
Remove Painful Obstruction Decoction	Juan Bi Tang	蠲痹湯 (견비탕)
True Warrior Decoction	Zhen Wu Tang	眞武湯 (진무탕)
<i>Formulas that Treat Dryness</i>	<i>Zhi Zhao Ji</i>	<i>治燥劑 (치조제)</i>
Apricot Kernel and Perilla Leaf Powder	Xing Su San	杏蘇散 (행소산)
Lily Bulb Decoction to Preserve the Metal	Bai He Gu Jin Tang	百合固金湯 (백합고금탕)
Ophiopogonis Decoction	Mai Men Dong Tang	麥門冬湯 (맥문동탕)
<i>Formulas that Warm Interior Cold</i>	<i>Wen Li Ji</i>	<i>溫裏劑 (온리제)</i>
Evodia Decoction	Wu Zhu Yu Tang	吳茱萸湯 (오수유탕)
Frigid Extremities Decoction	Si Ni Tang	四逆湯 (사역탕)
Major Construct the Middle Decoction	Da Jian Zhong Tang	大建中湯 (대건중탕)
Minor Construct the Middle Decoction	Xiao Jian Zhong Tang	小建中湯 (소건중탕)
Regulate the Middle Pill	Li Zhong Wan	理中丸 (이중환)
<i>Formulas that Tonify</i>	<i>Bu Yi Ji</i>	<i>補益劑 (보익제)</i>
All-Inclusive Great Tonifying Decoction	Shi Quan Da Bu Tang	十全大補湯 (십전대보탕)
Eight-Treasure Decoction	Ba Zhen Tang	八珍湯 (팔진탕)
Four-Gentlemen Decoction	Si Jun Zi Tang	四君子湯 (사군자탕)
Four-Substance Decoction	Si Wu Tang	四物湯 (사물탕)
Generate the Pulse Powder	Sheng Mai San	生脈散 (생맥산)
Ginseng, Poria, and White Atractylodes Powder	Shen Ling Bai Zhu San	參苓白朮散 (삼령백출산)